

12

USAARL REPORT NO. 83-6



PSYCHOLOGICAL EFFECTS OF CHEMICAL DEFENSE ENSEMBLE IMPOSED HEAT STRESS ON ARMY AVIATORS

By

Bruce E. Hamilton
Ronald R. Simmons
Kent A. Kimball

BIOMEDICAL APPLICATIONS RESEARCH DIVISION

November 1982

DTIC

DEC 01 1982

E

U.S. ARMY AEROMEDICAL RESEARCH LABORATORY
FORT RUCKER, ALABAMA 36362

Information reported
herein is for official use only
and is not to be distributed
outside the Army

USAARL

AD A121956

DTIC FILE COPY

NOTICE

Qualified Requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

Change of Address

Organizations receiving reports from the US Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.


Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation.


Human Use


Human subjects participated in these studies after giving their free and informed voluntary consent. Investigators adhered to AR 70-25 and USAMRDC Reg 70-25 on Use of Volunteers in Research.

Reviewed:


KENT A. KIMBALL, Ph.D.
Director
Biomedical Applications Research
Division

Released for Publication:


ROGER W. WILEY, Ph.D.
LTC, MSC
Chairman, Scientific Review
Committee


DUDLEY R. PRICE
Colonel, MC
Commanding

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER USAARL Report No. 83-6	2. GOVT ACCESSION NO. AD-A121956	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PSYCHOLOGICAL EFFECTS OF CHEMICAL DEFENSE ENSEMBLE IMPOSED HEAT STRESS ON ARMY AVIATORS		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Bruce E. Hamilton Ronald R. Simmons Kent A. Kimball		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Biomedical Applications Research Division US Army Aeromedical Research Laboratory Fort Rucker, Alabama 36302		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 6.27.77A, 3E162777A079 BH, 163
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Medical Research and Development Command Fort Detrick Frederick, Maryland 21701		12. REPORT DATE November 1982
		13. NUMBER OF PAGES 32
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Heat stress US chemical defense ensemble Chemical defense UK chemical defense ensemble Psychological stress Psychological performance		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) See back of form.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. ABSTRACT:

Psychological testing was conducted with six Army aviators before and after flights in a UH-1H helicopter while wearing standard flight suits, US or UK aircrew chemical defense ensembles. Additional testing on non-flight days was conducted to provide a baseline for evaluation. Tests consisted of encode/decode problems, math problems, logical reasoning problems, target detection problems, and a four-choice reaction time test.

Tests were scored for number attempted, percent correct, reaction time of correct and incorrect responses. Self reports of mood were also taken and scored. The results of the study indicated that various levels of ensemble-imposed heat stress caused orderly changes in psychological function and extended the results of laboratory investigations to the aviation setting. In addition, reaction time data showed changes in the pilot's ability to deal with "error" situations as a function of imposed heat stress and that self reports of mood were unreliable indicators of severe heat stress.

TABLE OF CONTENTS

	PAGE NO.
List of Illustrations	4
List of Tables	4
Introduction	5
Method	6
Subjects	6
Apparatus	6
Procedure	7
Results	10
Logical Reasoning	11
Target Recognition	12
Serial Math	13
Encode/Decode	14
Reaction Time	14
Mood	15
Discussion	16
Conclusions	17
References	18
Appendix A	21

Accession For	
By	X
Date	
Unit	
Justification	
By	
Date	
Approved by	
Special	
Dist	
A	



LIST OF ILLUSTRATIONS

FIGURE		PAGE NO.
1.	Comparison of the Thermal Tolerance Limit for Unimpaired Mental Performance with Both the Recommended Physiological Limit and the Marginal Physiological Limit	6
2.	Helicopter In-flight Monitoring System (HIMS)	7
3.	Highfalls Stagefield, Fort Rucker, AL	8
4.	Flight Ensembles Worn During Testing	8
5.	Scaled Self-Reports of Mood of Severely Heat-Stressed Subjects	15

LIST OF TABLES

TABLE		PAGE NO.
1.	Percent Change in Logical Reasoning Tests	12
2.	Percent Change in Target Recognition Tests	12
3.	Percent Change in Serial Math Tests	13
4.	Percent Change in Encode/Decode Tests	14
5.	Percent Change in Reaction Time Tests	15

INTRODUCTION

Army aviation is currently increasing its emphasis on Chemical Defense (CD) training. In fact, Interim Change I01 (23 Dec 1981) to the Aircrew Training Manual (TC 1-135) makes ir-flight training in full Mission Oriented Protective Posture (MOPP) IV mandatory. Training in MOPP IV will place a burden upon pilots because the ensembles are physically restrictive and degrade sensory inputs. In particular, breathing through the charcoal filter of the mask is fatiguing and protective masks distort vision. The gloves reduce manual dexterity and degrade sense of touch. Concomitant with these effects is the problem of reduced convective cooling and an increased susceptibility to heat stress.

Heat stress has been shown to impair not only individual physiology but also psychological function. Reviews of the effect of heat stress upon psychological function (Grether, 1973; Poulton, 1976; and Wing, 1965) have demonstrated that psychological function is impaired prior to reaching physiological overload. Figure 1 (from Figure 2 of Wing, 1965) illustrates not only the relationship between Effective Temperature (ET) and exposure duration upon mental function but also the relationship between recommended and marginal (ready-to-drop) physiological thermal tolerance and exposure durations. This plotting of relationships allows estimates of duration of unimpaired mental performance to be made simultaneously with estimates of physiologic tolerance. For instance, if a person were to be exposed to an ET of 34°C (left hand Y-axis), the recommended physiological exposure limit of just under 120 minutes would be predicted, and impaired mental function would be expected at approximately 60 minutes. If the relationships plotted are reasonably accurate, impaired mental performance can be expected well before physiologic limits are reached. The extent and importance of the impairment will be peculiar to the specific situation.

The heat stress and psychological decrements which might occur while wearing CD ensembles are exacerbated by the high ambient temperatures periodically encountered in rotary wing aircraft. Moreland and Barnes (1970) recorded cockpit temperatures of 43.9°C in flight in an Army light observation helicopter (OH-6) and Breckenridge and Levell (1970) recorded temperatures of 56.7°C in an AH-1G attack helicopter. The purpose of this study was to compare cognitive function and psychomotor performance in pilots wearing the US Army aircrew CD ensemble, the United Kingdom aircrew CD ensemble, and the standard US Army flight suit. Each subject wore each ensemble during hot weather and during identical 4-hour flight profiles of a UH-1H utility helicopter.




FIGURE 1. Comparison of the Thermal Tolerance Limit for Unimpaired Mental Performance with Both the Recommended Physiological Limit and the Marginal Physiological Limit. (Wing, 1965)

METHOD

SUBJECTS

The subjects were six male US Army Warrant Officers. All were recent graduates of the Army's Initial Entry Rotary Wing Class and had similar training and flight histories. All were acclimated to the local environment, in good physical condition, and between the ages of 20 and 37 with a mean age of 29. All subjects were informed of the nature and hazards of the experiment and each had signed an informed consent statement (Appendix A).

APPARATUS

All flights were conducted in the US Army Aeromedical Research Laboratory's (USAARL) JUH-1H utility helicopter with USAARL research aviators as safety pilots. In-flight physiological data and flight performance information were collected by means of an on-board Helicopter In-flight Monitoring System (HIMS II, Figure 2) modeled after the one described by Huffman, Hofmann, and Sleeter (1972). Psychological and psychomotor tests consisted of subtests selected from the Psychological Assessment Battery (PAB) developed by the Division of Neuropsychiatry, Walter Reed Army Institute of Research (WRAIR).



FIGURE 2. Helicopter In-Flight Monitoring System (HTMS)

PROCEDURE

Subjects were billeted at a stagefield (Figure 3) located south of Fort Rucker, Alabama. They lived in an air-conditioned research facility while participating in the experiment. Subjects flew on Mondays, Wednesdays, and Fridays. Each subject wore one of three possible ensembles on each flight day with the order of wear of ensembles randomized so that each subject wore the ensembles in a unique sequence. The three ensembles worn were the US Army aircrew CD ensemble (Figure 4, A), the United Kingdom aircrew CD ensemble (Figure 4, B), and the standard US Army flight suit (Figure 4, C). All flights were conducted during July, 1981. Mean ambient cockpit Wet Bulb/Globe Temperature (WBGT) during the flights was 29.05°C ($\pm 1.11^{\circ}\text{C}$ SD).

Flight profile

Subjects flew a maximum of 4 hours (2 consecutive 2-hour flights) on each flight day. During each flight they were asked to fly repetitively a series of maneuvers. The series consisted of a 50-foot hover, a lateral hover, and a precision flight profile. The series took about 40 minutes to complete and was repeated until 4 hours of flight had elapsed or the subject exceeded established heat and/or safety criteria (heart rate exceeding 140 beats per minute for 10 minutes, core temperature above 38.5°C , or mean skin and core temperature converging to within 0.5°C). Subjects were not responsible for



FIGURE 3. Highfalls Stagefield, Ft. Rucker, AL.



FIGURE 4. Flight Ensembles Worn During Testing. A, United States Army aircrew chemical defense ensemble; B, United Kingdom aircrew chemical defense ensemble; and C, United States Army standard flight suit.

pre/postflight inspections of the aircraft and sat in the shade during refueling operations. Water was provided ad libitum at hourly intervals.

Physiological data

Subjects were monitored for heart rate, mean skin temperature, and core temperature. These data were recorded by a medical observer and by the HMS II. The medical observer was constantly monitoring vital signs and temperatures and would terminate the flight if heat and/or safety criteria were exceeded.

Psychological Data

Subjects were administered a battery of psychological and psychomotor tests prior to suiting up for flight and as soon after flight as possible. The need for the subjects to remove the ensemble, be seen by a flight surgeon, and be weighed before taking the posttest resulted in unavoidable delays of 20 to 30 minutes. PAB was scored by WRAIR, without knowledge of the actual experimental conditions. The following subtests of PAB were used.

Mood Scale: Subjects were asked to rate their agreement to 65 mood descriptors (such as "anxious") on a 1 (none) to 5 (extreme) scale. The presentation order was randomized on each presentation with some words repeated as controls.

Feeling/Tone (Pearson and Byars, 1956): Subjects were asked to rate their current level of fatigue by stating whether or not they felt "BETTER THAN," "SAME AS," or "WORSE THAN" the activity level descriptor (such as "peppy").

Encode/Decode (Haslam, 1981): Subjects were given an arbitrary coding system which related letters to two-digit numbers and were asked to encode or decode purported map coordinates according to a set of simple rules. They were to do as many as possible in 7 minutes.

Target Recognition (Folkard, Knauth, Monk, and Ruten, 1976): Subjects were given two target letters and asked to determine if both letters occurred in a string of 30 letters or if one or both letters did not occur in the string. They were to do as many as possible in 7 minutes.

Logical Reasoning (Baddeley, 1968): Subjects were given a sentence which claimed to describe the order of the two letters (AB or BA) which followed the sentence. Their task was to determine if the order described was the same as that given. They were to complete as many as possible in 7 minutes.

Serial Math (Wever, 1979): Subjects were asked to watch a briefly presented (approximately .25 second per character) string of characters. The first two were numbers in the range of zero to nine with the third character being an add or subtract sign. The task was to perform the operation on the

numbers and either to add or subtract 10 from the result if the results met certain criteria. The resulting number was then entered and scored. Subjects were to complete as many problems as possible in 7 minutes.

Reaction Time (Wilkinson and Houghton, 1975): Subjects were presented with a four-choice reaction time task. This task presented the subject with four lights arranged in a square pattern. The subject's task was to determine which light was illuminated and press the button in the corresponding position as fast as possible. The task was presented repetitively for 8 minutes.

RESULTS

Subtests of PAB were scored by computer for the number attempted, percent correct, reaction time to correct response (RTcor), and reaction time to an incorrect response (RTerr). Information on mood was converted into mean score in the categories of mood (good to bad), hostility (friendly to hostile), happiness (happy to unhappy), and depression (in-the-dumps to on-top-of-the-world). Since performance is susceptible to circadian changes (Czeisler and Wegmann, 1986) as well as to individual differences, direct comparison of the data is difficult to interpret. In order to control for these outside influences, the raw data were converted into percent of change from baseline (pretest) using the formula $(A-B)/B$ where B was the pretest score and A the posttest score. In this manner, any one experimental manipulation was represented by a percent of change score which was the composite of the pretest and posttest scores. Positive scores indicate increases in posttest scores over pretest scores. Evaluation of this number required reference to either control or experimental data dependent upon the comparison desired.

Statistical significance was determined by means of a Randomized Block ANOVA with Replicates (Edwards, 1960). The factors used were percent change from baseline on control days, standard flight suit days, UK CD ensemble days, and US CD ensemble days. None of the subtests of PAB exceeded the $p=.05$ value and it was concluded that there were no statistically significant effects associated with any of the factors. Similarly, self-report of mood failed to show any significant differences across factors.

The purported stressor in this study was heat. Analysis of the physiological data revealed that subjects showed markedly different physiological responses to the experimental conditions. Therefore, experimental data were divided into three categories irrespective of suit and based solely upon physiological response. The three categories selected were slight, moderate, and severe heat stress. Placement into a category was determined by a physiologist who had no knowledge of the outcome of the psychological testing and was given only the category titles, "slight," "moderate," and "severe," without specific placement criteria. The convention adopted was that subjects withdrawn from an experimental condition because they exceeded suit and/or safety criteria would be judged as severely

heat-stressed subjects, those with consistently elevated heart rates or temperatures but less than the heat safety criteria would be judged as moderately heat-stressed, and the remaining would be judged as slightly heat-stressed. Accordingly, three instances of severe heat stress, seven instances of moderate heat stress, and six instances of slight heat stress were identified. (Two flights were not flown because of inclement weather.)

The data for these groups as well as for the control days were averaged and are presented by subtest. These arbitrary groupings crossed the original group bounds and left three groups which were composed of partial replicates of unequal size, and generally violated most assumptions concerning population homogeneity. The results are, therefore, trends without statistical confirmation.

LOGICAL REASONING

Table 1 presents the percent of change data for the logical reasoning test. Again, positive percentages indicate increased posttest scores relative to the pretest and negative percentages indicated decreased posttest scores relative to the pretest. The number of questions attempted showed a 2 percent increase in the control group, the slight heat stress group showed a 5 percent increase, and the moderate group evidenced a 3 percent increase. The severely stressed group showed a 2 percent increase or no difference from the control data. A similar up-down trend was seen in the percent correct data as controls showed a 2 percent decrease, the slightly stressed group evidenced a 4 percent increase, with a 1 percent increase in the severely stressed group. The reaction time to correct response (RTcor) showed no change between the control group and slightly stressed group while moderately stressed group decreased to -11 percent. The severely heat stressed group demonstrated only a -3 percent decrease. The original pattern of low, high, and then return to low was seen in the reaction time to error (RTerr) data. It should be noted that the absolute difference between the RTerr for the slightly heat stressed group (or normal flight) and the severely stressed group was 33 percent. Checking the actual RTs revealed that the baseline of RTerr and RTcorr did not differ; that is, the changes seen were differences due to the intervention and not idiosyncratic changes in baseline reaction times.

TABLE 1
PERCENT CHANGE IN LOGICAL REASONING TESTS

	NUMBER ATTEMPTED	PERCENT CORRECT	RT CORRECT	RT ERROR
CONTROL	2.0	-2.0	1.0	-17.0
SLIGHT	5.0	4.0	0.0	20.0
MODERATE	3.0	3.0	-11.0	-9.0
SEVERE	2.0	1.0	-3.0	-13.0

RT = Reaction time

TARGET RECOGNITION

Subjects showed a slight increase in the percent change in the number attempted from 5 percent to 7 percent between the control and slightly stressed group (Table 2). This increase disappeared and, in fact, decreased in the moderate (2 percent) and severe (-3 percent) groups. There was an absolute difference of 10 percentage points between the slightly stressed and severely stressed group. The percent correct data showed a similar slight increase and subsequent decrease between the various groups but the difference between the slightly and severely stressed groups was only 7 percentage points.

TABLE 2
PERCENT CHANGE IN TARGET RECOGNITION TESTS

	NUMBER ATTEMPTED	PERCENT CORRECT	RT CORRECT	RT ERROR
CONTROL	5.0	-1.0	-2.0	-29.0
SLIGHT	7.0	2.0	-9.0	-29.0
MODERATE	2.0	3.0	-7.0	*
SEVERE	-3.0	-5.0	-6.0	20.0

* Not computable

RT = Reaction time

RTcor displayed an opposite pattern. It started at -2 percent, decreased to -9 percent during slight stress, then rose to -6 percent in the severely stressed group. Since RT deals with speed of response, negative percent change scores indicate increases in speed and should be considered as improved performance. From this standpoint, RTcor behaved similarly to number attempted and percent correct. RTerr, on the other hand, started at -29 percent during control conditions. Subjects made responses terminating in errors in the posttest condition on control days that were considerably quicker than their RTcor. Relative to the pretest responses, the posttest reaction times were short. This trend persisted during slight stress conditions. Due to the fact that errors were not made by a large number of the moderately stressed subjects during posttesting, RTerr could not be computed; however, RTerr increased to 20 percent during severe stress conditions. An absolute difference of 49 percentage points existed then between control or slight stress conditions and the severe stress condition. After severe stress, subjects were taking considerably longer to make responses which ultimately proved to be in error.

SERIAL MATH

Table 3 presents the results of the serial math test. The percent change score in the number of problems attempted went from -2 percent during control conditions to 10 percent during severe stress. The percent correct changed from -1 percent to 6 percent (slight to moderate), and to 4 percent in the severe stress condition. RTcor went from -5 percent during control conditions to 5 percent during slight stress and then to -19 percent during severe stress. This is an absolute difference of 24 percentage points between slight stress (or normal flight) and severe stress in the direction of more rapid responding. RTerr decreased from 51 percent during control conditions to 7 percent during severe stress conditions.

TABLE 3

PERCENT CHANGE IN SERIAL MATH TESTS

	NUMBER ATTEMPTED	PERCENT CORRECT	RT CORRECT	RT ERROR
CONTROL	-2.0	-1.0	-5.0	51.0
SLIGHT	1.0	6.0	5.0	23.0
MODERATE	5.0	6.0	-7.0	10.0
SEVERE	10.0	4.0	-19.0	7.0

RT = Reaction time

ENCODE/DECODE

The data for the Encode/Decode test are summarized in Table 4. The percent change scores for the number attempted stayed fairly constant across conditions (8 percent) with the exception of the severe heat stress condition in which it decreased to -5 percent. The percent correct increased from a -1 percent during control conditions to 6 percent during slight stress and dropped to -2 percent during severe stress conditions. RTcor rose slightly from the -7 percent control level to the -4 percent level during severe stress. Due to a tendency to make perfect scores on the pretest, RTerr scores were not computable.

TABLE 4
PERCENT CHANGE IN ENCODE/DECODE TESTS

	NUMBER ATTEMPTED	PERCENT CORRECT	RT CORRECT	RT ERROR
CONTROL	8.0	-1.0	-7.0	*
SLIGHT	9.0	6.0	-6.0	*
MODERATE	7.0	4.0	4.0	*
SEVERE	-5.0	-2.0	-4.0	*

* Not computable
RT = Reaction time

REACTION TIME

Table 5 presents the reaction time data. The percent change score for number attempted during control conditions was -3 percent. The slightly stressed group exhibited similar behavior while the moderate and severe stress groups showed decreases in the number attempted. There was no change evident in the percent correct scores across the conditions. RTcor went from -3 percent during control and slight stress to 3 percent during severe heat stress. RTerr started at 10 percent and decreased according to the severity of the stress until it reached a -10 percent level in the severely stressed group. This represents an absolute difference of 16 percent from the slight stress (or normal flight) condition and 20 percent from control in the direction of shortened reaction times despite a 3 percent increase (or slower reaction time) in RTcor scores.

TABLE 5

PERCENT CHANGE IN REACTION TIME TESTS

	NUMBER ATTEMPTED	PERCENT CORRECT	RT CORRECT	RT ERROR
CONTROL	3.0	0.0	-3.0	10.0
SLIGHT	2.0	0.0	-3.0	6.0
MODERATE	0.0	1.0	-1.0	0.0
SEVERE	-2.0	0.0	3.0	-10.0

RT = Reaction time

MOOD

Mood data were idiosyncratic and varied independently of the stress encountered. Figure 5 presents the activation and mood scores for the three subjects in the severe stress group. As can be seen, some subjects reported changes while others reported no changes. All subjects seemed to be less active and in a worse mood after the severe heat stress condition, but by widely differing amounts.




FIGURE 5. Scaled Self-Reports of Mood of Severely Heat-Stressed Subjects. B represents the preflight report, A the postflight report, and N no change.

DISCUSSION

The results of this study can not support the position that psychological/psychomotor function varied systematically as a function of the type of CD ensemble worn while flying. However, if the grouping of subjects into the arbitrary classes of slightly, moderately, and severely heat stressed is accepted, then trends emerge which the authors believe are systematic and confirm the applicability of laboratory investigations of heat stress to the aviation setting.

The data reported here suggest that slight heat stress increases performance over control levels (cf Poulton, 1976) and that this improvement is eliminated by more severe heat stress (cf Eostein, Keren, Moisseiev, Gasko, and Yachin, 1980). These results are probably conservative due to the intervention of an unavoidable recovery period between exposure and posttesting. Without arguing the significance of changes in performance (number attempted and percent correct) or their operational significance, the effect upon reaction time which terminated in error (RTerr) was clearly anomalous. During one test (target detection), subjects spent a great deal more time than expected working on the solution without being able to find the correct answer. Other tests (e.g., logical reasoning) showed that subjects made errors without working on the problem for as long as expected. In other words, when subjects were severely heat-stressed they either could not provide the correct answer despite extra effort or could not recognize that additional consideration was necessary. The conclusion that subjects failed to adequately consider the problem at hand is based upon the fact that response latencies were shortened without a concomitant increase in error rates. The possibility that subjects chose not to answer a particular question and in that fashion shortened response latencies could not be ruled out. This result has previously been reported by Colquhoun and Goldman (1972, p. 628).

Interestingly, subjects who had spent the day in isolation with little to do (control) showed changes in performance similar to those subjects who were severely heat stressed. Whether it is appropriate or not to say that aviators are stimulated to perform above normal levels during typical flights or that a day of isolation and inactivity depresses psychological function is not clear from the present study and is the subject of current research at USAARL.

Self-report of mood varied widely across the severely heat stressed subjects. This lack of consistency between self-report and heat stress is not unusual. When describing their behavior, people follow rules which are more in keeping with their social environment than their internal state (Poulton, 1976). Some people will follow the rule that states that the effect of exposure to heat is to slow response times and reduce performance levels. Others follow the rule that a "can do" attitude is important to maintain regardless of the situation. This type of rule-following results in a dissociation between level of cognitive function and reported mood.

CONCLUSIONS

This study supports the hypothesis that the effect of heat stress is insidious. While it may not greatly affect an aviator's psychomotor performance level, it may affect his ability to recognize error situations or make correct responses when unsure of himself. The data is consistent with previous observations that subjects may not recognize potential areas of impairment and may report that they are as ready as ever to conduct a mission.

REFERENCES CITED

- Baddeley, A.D. 1968. A 3-minute reasoning test based on grammatical transformation. *Psychonomic Science*. 10:341-342.
- Breckenridge, J.R. and Levell, C.A. 1970. Heat stress in the cockpit of the AH-1G "Huey" Cobra helicopter. *Aerospace Medicine*. 41(6):621-626.
- Colquhoun, W.P. and Goldman, R.F. 1972. Vigilance under induced hyperthermia. *Ergonomics*. 15(6):621-632.
- Department of the Army. 1981. *Aircrew training manual utility helicopter*. Washington, D.C.: Department of the Army. TC 1-135.
- Edwards, A.L. 1960. *Experimental design in psychological research*. New York: Holt, Rinehart and Winston, Inc.
- Epstein, Y., Keren, G., Moisseiev, J., Gasko, O., and Yachin, S. 1980. Psychomotor deterioration during exposure to heat. *Aviation, Space, and Environmental Medicine*. 51(6):607-610.
- Folkard, S., Knauth, P., Monk, T.H., and Ruten, F.J. 1976. The effect of memory load on the circadian variation in performance efficiency under a rapidly rotating shift system. *Ergonomics*. 19:479-488.
- Grether, W.F. 1973. Human performance at elevated environmental temperatures. *Aerospace Medicine*. 44(7):747-755.
- Haslam, D.R. 1981. The military performance of soldiers in continuous operations: exercises "Early Call" I and II. In: Johnson, L.C., Tepas, D.I., Colquhoun, W.P., and Colligan, M.J. (eds.), *The twenty-four hour workday: proceedings of a symposium on variations in work-sleep schedules*. Cincinnati: U.S. Department of Health and Human Services (DHHSCNOISH) Publication No. 81-127.
- Huffman, H.W., Hofmann, M.A., and Sleeter, M.R. 1972. *Helicopter in-flight monitoring system*. Ft. Rucker, AL: US Army Aeromedical Research Laboratory. USAARL Report No 72-11.
- Klein, K.E., and Wegmann, H.M. 1980. *Significance of circadian rhythms in aerospace operations*. London: Technical Editing and Reproduction Ltd. NATO AGARDograph No. 247.
- Moreland, S. and Barnes, J. A. 1970. *Exploratory study of pilot performance during high ambient temperatures/humidity*. Aberdeen FG, MD.: Human Engineering Laboratory, TM 6-70.

- Pearson, R.G., and Byars, G.E., Jr. 1956. *The development and validation of a checklist for measuring subjective fatigue*. Randolph AFB, Texas: USAF School of Aviation Medicine (Report 56-115).
- Poulton, E.C. 1976. Arousing environmental stresses can improve performance, whatever people say. *Aviation, Space, and Environmental Medicine*. 47(11):1193-1204.
- Wever, R.A. 1979. *The circadian system of man*. New York-Heidelberg-Berlin: Springer Verlag.
- Wilkinson, R.T., and Houghton, D. 1975. Portable four choice reaction time test with magnetic tape memory. *Behavior Research, Methods and Instrumentation*. 7:441-446.
- Wing, J.F. 1965. Upper thermal limits for unimpaired mental performance. *Aerospace Medicine*. 36:960-964.

APPENDIX A
VOLUNTEER PARTICIPATION AGREEMENT

VOLUNTEER PARTICIPATION AGREEMENT

I, _____, SSN _____, having attained my eighteenth (18th) birthday, and otherwise having full capacity to consent, do hereby volunteer to participate in a research study entitled: "Physiological Assessment of the Aircrew Chemical Defense Clothing," under the direction of the US Army Aeromedical Research Laboratory.

The implications of my voluntary participation; the nature, duration, and purpose; the methods and means by which it is to be conducted; and the inconveniences and hazards which may reasonably be expected have been explained to me by Bruce E. Hamilton, Ph.D., Principal Investigator, and are set forth on the attachment of this Agreement, which I have initialed. I have been given an opportunity to ask questions concerning this investigational study, and my questions have been answered to my full and complete satisfaction.

I understand that I may at any time during the course of this study revoke my consent and withdraw from the study without prejudice. However, I may be required to undergo further medical examinations, if in the opinion of the attending physician such examinations are necessary for my health or well-being.

Signature

Date

I was present during the explanation referred to above as well as the Volunteer's opportunity for questions and hereby witness his signature.

Signature

Date

VOLUNTEER AGREEMENT
(ATTACHMENT)

PURPOSE

You are being asked to participate in a research program entitled: "Physiological Assessment of the Aircrew Chemical Defense Clothing." to assess the biomedical and physiological feasibility of using the United Kingdom (UK) Aircrew Chemical Defense (CD) Ensemble in the US Army aviation environment. Prior to your participating in the study, you will be given a physical examination by a flight surgeon and will be asked to fill out a medical history questionnaire.

PROCEDURE

You will be asked to fly rotary wing aircraft performing the following maneuvers: (1) 50 feet OGE hover, (2) hover course, and (3) instrument flying course. As an experimental subject, you will be asked to fly approximately 4 hours of flight/day with each of two chemical defense ensemble and 4 hours of flight in the standard flight suit. You will be connected via three chest electrodes, five skin temperature electrodes and a flexible rectal thermometer to physiological monitoring equipment which will monitor heart rate, respiratory rate, skin temperature and core temperature. Additionally, your psychomotor coordination and cognitive functioning will be tested intermittently during the course of the experiment.

The aircraft safety pilot will be in standard US flight clothing. A medical observer will be on board during all flights as a member of the research team. A Flight Surgeon will be on call by radio to provide rapid advice to the medical observer and flight crew, if necessary, and at the stagefield with complete resuscitation equipment and an emergency medical team.

RISKS

The medical risks associated with this project are that of heat-related injuries; i.e., heat exhaustion, heat stroke, and heat pyrexia. An explanation of these injuries follows:

Heat Exhaustion

This disorder can be broken down into two areas: a water-deficient heat exhaustion or dehydration and salt-deficient heat exhaustion.

Water-Deficient Heat Exhaustion

It is an effect of excessive exposure to heat and becoming water-depleted due to inadequate replacement of water losses caused by prolonged sweating.

Signs and symptoms: thirst, fatigue, giddiness, oliguria, pyrexia, and in advanced stages, delirium and death.

Salt-Deficient Heat Exhaustion

It is an effect of excessive exposure to heat in which salt depletion occurs due to inadequate replacement of salt lost through prolonged sweating. Signs and symptoms: fatigue, nausea, vomiting, giddiness, muscle cramps, and in late stages, circulatory failure.

Prevention and Treatment

Prevention of heat exhaustion requires an adequate supply of water easily accessible while working in hot climates or conditions both during and after working hours. The treatment consists essentially of rest in bed in a cool environment with a high intake of fluids. The preferable method of intake is by mouth unless the person is unconscious, then fluid replacement needs to be given intravenously. Also, the person should be kept cool until his thermoregulatory system is back in balance.

Heatstroke

A state of thermoregulatory failure with sudden onset following exposure to a hot environment with a high body temperature $> 40.6^{\circ}\text{C}$ (105°F) characterized by an absence of sweating and disturbance of the central nervous system. It is frequently fatal.

Hyperpyrexia

The same symptoms as a heatstroke except the patient is conscious and may be sweating. The rectal temperature will be slightly lower than that of heatstroke. Signs and symptoms: euphoria, headache, dizziness, drowsiness, numbness, restlessness, purposeless movements, incoordinated movements, aggressiveness, mania, suicidal tendencies, mental confusion, and sudden onset of delirium or coma in heatstroke.

The following are some definitions of some terms which we have used above with which you may not be familiar:

Oliguria - Secretion of a diminished amount of urine in relation to the fluid intake.

Pyrexia - A fever, a febrile condition; abnormal elevation of the body temperature.

Psychomotor - Pertaining to motor effects of cerebral or psychic activity.

Cognitive Functioning (Cognition) - The operation of the mind by which we become aware of objects of thought or perception, including understanding and reasoning.

Mania - Excitement manifested by mental and physical hyperactivity, disorganization of behavior, and elevation of mood.

It is expected that you will experience some degradation of performance due to heat stress. The safety pilot will be instructed to observe your performance and will not allow you to progress to unsafe levels of degradation.

You will be stressed and uncomfortable during this study, but we have established safety limits and the experiment will not be allowed to proceed if any of these limits are reached. By monitoring your heart rate, respiration, skin and rectal temperature and comparing these parameters with established limits, we will be able to terminate the experiment at a point which will minimize the risk to you.

Initials

Date

PRIVACY ACT STATEMENT

The information solicited in this questionnaire will be used for research and statistical analysis of the problem of Army aviator fatigue/stress in wearing chemical defense ensembles. It will be kept confidential and names will not be used in any reports, published or unpublished, of this data. Participants will be identified only by randomly assigned project identification numbers.

Disclosure is voluntary; however, failure to do so will seriously limit the usefulness of other data obtained from the individuals in this project.

I have read and understand the above statement and consent to the use of this information as described.

Signature

Date



DEPARTMENT OF THE ARMY
U. S. ARMY AEROMEDICAL RESEARCH LABORATORY
FORT RUCKER, ALABAMA 36362

UNCONDITIONAL CONSENT FOR USE OF PICTURE AND SOUND

The United States Government is granted the right to use, to the extent and for the purpose it desires, any pictures (still, motion, those transmitted via TV or recorded on video tape or otherwise) and sounds (vocal, instrumental, or otherwise) whether used together or separately, taken or recorded by or on behalf of the Aeromedical Research Laboratory.

(DATE)

(SIGNATURE)

(HOME ADDRESS)

(MILITARY ADDRESS)

Above consent obtained by:

(SIGNATURE)

INITIAL DISTRIBUTION

Defense Technical Information Center Cameron Station Alexandria, VA 22314	(12)	Aeromechanics Laboratory US Army Research & Technology Labs Ames Research Center, M/S 215-1 Moffett Field, CA 94035	(1)
Under Secretary of Defense for Research and Engineering ATTN: Military Assistant for Medical and Life Sciences Washington, DC 20301	(1)	Sixth United States Army ATTN: SMA Presidio of San Francisco California 94129	(1)
Uniformed Services University of the Health Sciences 4301 Jones Bridge Road Bethesda, MD 20014	(1)	Director Army Audiology & Speech Center Walter Reed Army Medical Center Forest Glen Section, Bldg 156 Washington, DC 20012	(1)
Commander US Army Medical Research and Development Command ATTN: SGRD-RMS/Ms. Madigan Fort Detrick Frederick, MD 21701	(5)	Harry Diamond Laboratories Scientific & Technical Information Offices 2800 Powder Mill Road Adelphi, MD 20783	(1)
Redstone Scientific Information Center ATTN: DRDMI-TBD US Army Missile R&D Command Redstone Arsenal, AL 35809	(1)	US Army Ordnance Center & School Library, Bldg 3071 ATTN: ATSL-DOSL Aberdeen Proving Ground, MD 21005	(1)
US Army Yuma Proving Ground Technical Library Yuma, AZ 85364	(1)	US Army Environmental Hygiene Agency Library, Bldg E2100 Aberdeen Proving Ground, MD 21010	(1)
US Army Aviation Engineering Flight Activity ATTN: DAVTE-M (Technical Library) Edwards AFB, CA 93523	(1)	Technical Library Chemical Systems Laboratory Aberdeen Proving Ground, MD 21010	(1)
US Army Combat Developments Experimentation Command Technical Library HQ, USACDEC Box 22 Fort Ord, CA 93941	(1)	US Army Materiel Systems Analysis Agency ATTN: Reports Distribution Aberdeen Proving Ground, MD 21005	(1)

Commander US Army Medical Research Institute of Chemical Defense Aberdeen Proving Ground, MD 21010 (1)	US Army Field Artillery School Library Snow Hall, Room 16 Fort Sill, OK 73503 (1)
Commander Naval Air Development Center ATTN: Code 6022 (Mr. Brindle) Warminster, PA 18974 (1)	US Army Dugway Proving Ground Technical Library Bldg 5330 Dugway, UT 84022 (1)
Director Ballistic Research Laboratory ATTN: DRDAR-TSB-S (STINFO) Aberdeen Proving Ground, MD 21005 (2)	US Army Materiel Development & Readiness Command ATTN: DRCSG 5001 Eisenhower Avenue Alexandria, VA 22333 (1)
US Army Research & Development Technical Support Activity Fort Monmouth, NJ 07703 (1)	US Army Foreign Science & Technology Center ATTN: DRXST-IS1 220 7th St., NE Charlottesville, VA 22901 (1)
Commander/Director US Army Combat Surveillance & Target Acquisition Laboratory ATTN: DELCS-D Fort Monmouth, NJ 07703 (1)	Commander US Army Training and Doctrine Command ATTN: ATCD Fort Monroe, VA 23651 (2)
US Army Avionics R&D Activity ATTN: DAVAA-0 Fort Monmouth, NJ 07703 (1)	Commander US Army Training and Doctrine Command ATTN: Surgeon Fort Monroe, VA 23651 (1)
US Army White Sands Missile Range Technical Library Division White Sands Missile Range New Mexico 88002 (1)	US Army Research & Technology Labs Structures Laboratory Library NASA Langley Research Center Mail Stop 266 Hampton, VA 23665 (1)
Chief Benet Weapons Laboratory LCWSL, USA ARRADCOM ATTN: DRDAR-LCE-TL Watervliet Arsenal Watervliet, NY 12189 (1)	Commander 10th Medical Laboratory ATTN: DEHE (Audiologist) APO New York 09180 (1)
US Army Research & Technology Labs Propulsion Laboratory MS 77-5 NASA Lewis Research Center Cleveland, OH 44135 (1)	Commander US Army Natick R&D Laboratories ATTN: Technical Librarian Natick, MA 01760 (1)

Commander US Army Troop Support & Aviation Materiel Readiness Command ATTN: DRSTS-W St. Louis, MO 63102	(1)	US Air Force Armament Development & Test Center Technical Library Eglin AFB, FL 32542	(1)
Commander US Army Aviation R&D Command ATTN: DRDAV-E 4300 Goodfellow Blvd St. Louis, MO 63166	(1)	US Air Force Institute of Technology (AFIT/LDE) Bldg 640, Area B Wright-Patterson AFB, OH 45433	(1)
Director US Army Human Engineering Laboratory ATTN: Technical Library Aberdeen Proving Ground, MD 21005	(1)	US Air Force Aerospace Medical Division School of Aerospace Medicine Aeromedical Library/TSK-4 Brooks AFB, TX 78235	(1)
Commander US Army Aviation R&D Command ATTN: Library 4300 Goodfellow Blvd St. Louis, MO 63166	(1)	Director of Professional Services Office of The Surgeon General Department of the Air Force Washington, DC 20314	(1)
Commander US Army Health Services Command ATTN: Library Fort Sam Houston, TX 78234	(1)	Human Engineering Division Air Force Aerospace Medical Research Laboratory ATTN: Technical Librarian Wright-Patterson AFB, OH 45433	(1)
Commandant US Army Academy of Health Sciences ATTN: Library Fort Sam Houston, TX 78234	(1)	US Navy Naval Weapons Center Technical Library Division Code 2333 China Lake, CA 93555	(1)
Commander US Army Airmobility Laboratory ATTN: Library Fort Eustis, VA 23604	(1)	US Navy Naval Aerospace Medical Institute Library Bldg 1953, Code 012 Pensacola, FL 32508	(1)
Air University Library (AUL/LSE) Maxwell AFB, AL 36112	(1)	US Navy Naval Submarine Medical Research Lab Medical Library, Naval Submarine Base Box 900 Groton, CT 06340	(1)
US Air Force Flight Test Center Technical Library, Stop 238 Edwards AFB, CA 93523	(1)	Staff Officer, Aerospace Medicine RAF Staff British Embassy 3100 Massachusetts Avenue, N.W. Washington, DC 20008	(1)
Command Surgeon Rapid Deployment Joint Task Force MacDill AFB, FL 33608	(1)		

Director Naval Biosciences Laboratory Naval Supply Center, Bldg 844 Oakland, CA 94625 (1)	Commanding Officer Naval Biodynamics Laboratory P.O. Box 29407 New Orleans, LA 70189 (1)
Naval Air Systems Command Technical Library AIR 950D RM 278 Jefferson Plaza II Department of the Navy Washington, DC 20361 (1)	FAA Civil Aeromedical Institute ATTN: Library Box 25082 Oklahoma City, OK 73125 (1)
US Navy Naval Research Laboratory Library Code 1433 Washington, DC 20375 (1)	Department of Defense R.A.N. Research Laboratory P.O. Box 706 Darlinghurst, N.S.W. 2010 Australia (1)
US Navy Naval Air Development Center Technical Information Division Technical Support Department Warminster, PA 18974 (1)	Canadian Society of Avn Med C/o Academy of Medicine, Toronto ATTN: Ms. Carmen King 288 Bloor Street West Toronto, Ontario M5S 1V8 (1)
Human Factors Engineering Division Aircraft & Crew Systems Technology Directorate Naval Air Development Center Warminster, PA 18974 (1)	COL F. Cadigan DAG-AMLOUS B Box 36, US Embassy FPO New York 09510 (1)
US Navy Naval Research Laboratory Library Shock & Vibration Information Center Code 8404 Washington, DC 20375 (1)	DCIEM/SOAM 1133 Sheppard Avenue West P.O. Box 2000 Downsview, Ontario M3M 3B9 (1)
Director of Biological & Medical Sciences Division Office of Naval Research 800 N. Quincy Street Arlington, VA 22217 (1)	Dr. E. Hendler Code 6003 Naval Air Development Center Warminster, PA 18974 (1)
Commanding Officer Naval Medical R&D Command National Naval Medical Center Bethesda, MD 20014 (1)	Commander US Army Transportation School ATTN: ATSP-TD-ST Fort Eustis, VA 23604 (1)

Commanding Officer
404 Maritime Training Squadron
Canadian Forces Base, Greenwood
Greenwood, N.S. BOP 1N0
Canada

ATTN: Aeromed Tug Unit (1)

Canadian Forces Medical Liaison
Officer
Canadian Defence Ln Staff
2450 Massachusetts Ave. NW
Washington, D.C. 20008

National Defence Headquarters
101 Colonel By Drive
Ottawa, Ontario K1A0K2
Canada
ATTN: DPM (1)

Canadian Air Line Pilot's Assn.
Maj. J. Soutendam (Ret)
1300 Steeles Avenue East
Brampton, Ontario Canada
L6T 1A2